FEBS Letters 348 (1994) 324–325

Contents to volume 348

Research Letters

Rapid and simple approach for the NMR resonance assignment of the carbohydrate chains of an intact glycoprotein: Application of gradient-enhanced natural abundance ^{1}H-^{13}C HSQC and HSQC-TOCSY to the α-subunit of human chorionic gonadotropin (FEBS 14161) *T. de Beer, C.W.E.M. van Zuylen, K. Hård, R. Boelens, R. Kaptein, J.P. Kamerling, J.F.G. Vliegenthart* 1

Signal transduction of the GLP-1-receptor cloned from a human insulinoma (FEBS 14167) *B. van Eyll, B. Lankat-Buttgereit, H.P. Bode, R. Göke, B. Göke* 7

Proteolytically cleaved mutant antithrombin-Hamilton has high stability to denaturation characteristic of wild type inhibitor serpins (FEBS 14182) *H.T. Wright, M.A. Blajchman* 14

Structural diversity of triadin in skeletal muscle and evidence of its existence in heart (FEBS 14170) *M. Peng, H. Fan, T.L. Kirley, A.H. Caswell, A. Schwartz* 17

Effects of Ca^{2+} on the activation of conventional and new PKC isozymes and on TPA and endothelin-1 induced translocations of these isozymes in intact cells (FEBS 14185) *C.-C. Chen* 21

Involvement of cell wall β-glucan in the action of HM-1 killer toxin (FEBS 14189) *S. Kasahara, S.B. Inoue, T. Mio, T. Yamada, T. Nakajima, E. Ichishima, Y. Furuichi, H. Yamada* 27

Loss of phosphatidylserine synthesis results in aberrant solute sequestration and vacuolar morphology in *Saccharomyces cerevisiae* (FEBS 14190) *S. Hamamatsu, I. Shibuya, M. Takagi, A. Ohta* 33

Swimming speed and chemokinetic response of *Rhodobacter sphaeroides* investigated by natural manipulation of the membrane potential (FEBS 14186) *D.M. Harrison, H.L. Packer, J.P. Armitage* 37

Calorimetric studies of the energetics of protein–DNA interactions in the *E. coli* methionine repressor (MetJ) system (FEBS 14193) *A. Cooper, A. McAlpine, P.G. Stockley* 41

Transcription factor nuclear factor I proteins form stable homo- and heterodimers (FEBS 14199) *U. Kruse, A.E. Sippel* 46

Protein kinase C rapidly up-regulates the number of AT_1 angiotensin receptors on cultured rat intestinal epithelial (RIE-1) cells (FEBS 14198) *R.D. Smith* 51

Immunodetection and enzymatic characterization of the α3-isoform of Na,K-ATPase in dog heart (FEBS 14164) *I. Berrebi-Bertrand, J.M. Maixent* 55

Ca^{2+}-dependent cosecretion of adrenomedullin and catecholamines mediated by nicotinic receptors in bovine cultured adrenal medullary cells (FEBS 14180) *F. Katoh, H. Niina, K. Kitamura, Y. Ichiki, Y. Yamamoto, K. Kangawa, T. Eto, A. Wada* 61

Free radical activation of acetaldehyde and its role in protein alkylation (FEBS 14163) *E. Albano, P. Clot, A. Comoglio, M.U. Dianzani, A. Tomasi* 65

Cloning and expression of a novel form of leukotriene B_4 ω-hydroxylase from human liver (FEBS 14201) *Y. Kikuta, E. Kusunose, T. Kondo, S. Yamamoto, H. Kinoshita, M. Kusunose* 70

cDNA cloning of an orphan opiate receptor gene family member and its splice variant (FEBS 14171) *J.B. Wang, P.S. Johnson, Y. Imai, A.M. Persico, B.A. Ozenberger, C.M. Eppler, G.R. Uhl* 75

Independent control of transcription initiations from two sites by an initiator-like element and TATA box in the human c-*erbB*-2 promoter (FEBS 14192) *G. Mizuguchi, C. Kanei-Ishii, T. Sawazaki, M. Horikoshi, R.G. Roeder, T. Yamamoto, S. Ishii* 80

Neuromedin B receptor, expressed in *Xenopus laevis* oocytes, selectively couples to G_{sq} and not $G_{\alpha 11}$ (FEBS 14184) *H. Shapira, J. Way, D. Lipinsky, Y. Oron, J.F. Battey* 89

Spatial precision of a catalytic carboxylate of F_1-ATPase β subunit probed by introducing different carboxylate-containing side chains (FEBS 14202) *T. Amano, K. Tozawa, M. Yoshida, H. Murakami* 93

Functional expression of 2-amino-4-phosphonobutyrate (APB) receptors in *Xenopus laevis* oocytes by injection of poly(A)$^+$ RNA from quail brain (FEBS 14203) *C. Moon, S.P. Fraser, P. Barrett, P.J. Morgan, M.B.A. Djamgoz* 99

Isolation and structural characterization of a novel peptide related to γ-melanocyte stimulating hormone from the brain of the leech *Theromyzon tessulatum* (FEBS 14195) *M. Salzet, C. Wattez, P. Bulet, J. Malecha* 102

Errata and Corrigenda 107

Hypothesis

KEKE motifs: Proposed roles in protein–protein association and presentation of peptides by MHC Class I receptors (FEBS 14183) *C. Realini, S.W. Rogers, M. Rechsteiner* 109

Research Letters

Substitution of conserved tyrosine residues in helix 4 (Y143) and 7 (Y293) affects the activity, but not IAPS-forskolin binding, of the glucose transporter GLUT4 (FEBS 14172) *S. Wandel, A. Schürmann, W. Becker, S.A. Summers, M.F. Shanahan, H.G. Joost* 114

Isolation of tyrosine kinase related genes expressed in the early hematopoietic system (FEBS 14191) *L. Larsson-Blomberg, E. Dzierzak* 119

Complete reconstitution of conjugation and subsequent degradation of the tumor suppressor protein p53 by purified components of the ubiquitin proteolytic system (FEBS 14196) *D. Shkedy, H. Gonen, B. Bercovich, A. Ciechanover* 126

8-Hydroxydeoxyguanosine: A marker of oxidative DNA damage in systemic lupus erythematosus (FEBS 14197) *J. Lunec, K. Herbert, S. Blount, H.R. Griffiths, P. Emery* 131

Distribution and localization of a G protein-coupled inwardly rectifying K^+ channel in the rat (FEBS 14204) *C. Karschin, W. Schreibmayer, N. Dascal, H. Lester, N. Davidson, A. Karschin* 139

Reassessment of the putative chaperone function of prolyl-*cis/trans*-isomerases (FEBS 14205) *G. Kern, D. Kern, F.X. Schmid, G. Fischer* 145

Wortmannin and 1-butanol block activation of a novel family of protein kinases in neutrophils (FEBS 14207) *J. Ding, J.A. Badwey* 149

Expression of the barley psbA gene in *Escherichia coli* yields a functional in vitro photosystem II protein D1 (FEBS 14200) *V.A. Efimov, A.F. Fradkov, A.B. Raskind, M.S. Khristin, V.V. Klimov, O.G. Chakhmakhcheva* 153

FEBS Letters 348 (1994) 324–325

Contents to volume 348

Research Letters

Rapid and simple approach for the NMR resonance assignment of the carbohydrate chains of an intact glycoprotein: Application of gradient-enhanced natural abundance ^{1}H-^{13}C HSQC and HSQC-TOCSY to the α-subunit of human chorionic gonadotropin (FEBS 14161) *T. de Beer, C.W.E.M. van Zuylen, K. Hård, R. Boelens, R. Kaptein, J.P. Kamerling, J.F.G. Vliegenthart* 1

Signal transduction of the GLP-1-receptor cloned from a human insulinoma (FEBS 14167) *B. van Eyll, B. Lankat-Buttgereit, H.P. Bode, R. Göke, B. Göke* 7

Proteolytically cleaved mutant antithrombin-Hamilton has high stability to denaturation characteristic of wild type inhibitor serpins (FEBS 14182) *H.T. Wright, M.A. Blajchman* 14

Structural diversity of triadin in skeletal muscle and evidence of its existence in heart (FEBS 14170) *M. Peng, H. Fan, T.L. Kirley, A.H. Caswell, A. Schwartz* 17

Effects of Ca^{2+} on the activation of conventional and new PKC isozymes and on TPA and endothelin-1 induced translocations of these isozymes in intact cells (FEBS 14185) *C.-C. Chen* 21

Involvement of cell wall β-glucan in the action of HM-1 killer toxin (FEBS 14189) *S. Kasahara, S.B. Inoue, T. Mio, T. Yamada, T. Nakajima, E. Ichishima, Y. Furuichi, H. Yamada* 27

Loss of phosphatidylserine synthesis results in aberrant solute sequestration and vacuolar morphology in *Saccharomyces cerevisiae* (FEBS 14190) *S. Hamamatsu, I. Shibuya, M. Takagi, A. Ohta* 33

Swimming speed and chemokinetic response of *Rhodobacter sphaeroides* investigated by natural manipulation of the membrane potential (FEBS 14186) *D.M. Harrison, H.L. Packer, J.P. Armitage* 37

Calorimetric studies of the energetics of protein–DNA interactions in the *E. coli* methionine repressor (MetJ) system (FEBS 14193) *A. Cooper, A. McAlpine, P.G. Stockley* 41

Transcription factor nuclear factor I proteins form stable homo- and heterodimers (FEBS 14199) *U. Kruse, A.E. Sippel* 46

Protein kinase C rapidly up-regulates the number of AT_1 angiotensin receptors on cultured rat intestinal epithelial (RIE-1) cells (FEBS 14198) *R.D. Smith* 51

Immunodetection and enzymatic characterization of the α3-isoform of Na,K-ATPase in dog heart (FEBS 14164) *I. Berrebi-Bertrand, J.M. Maixent* 55

Ca^{2+}-dependent cosecretion of adrenomedullin and catecholamines mediated by nicotinic receptors in bovine cultured adrenal medullary cells (FEBS 14180) *F. Katoh, H. Niina, K. Kitamura, Y. Ichiki, Y. Yamamoto, K. Kangawa, T. Eto, A. Wada* 61

Free radical activation of acetaldehyde and its role in protein alkylation (FEBS 14163) *E. Albano, P. Clot, A. Comoglio, M.U. Dianzani, A. Tomasi* 65

Cloning and expression of a novel form of leukotriene B_4 ω-hydroxylase from human liver (FEBS 14201) *Y. Kikuta, E. Kusunose, T. Kondo, S. Yamamoto, H. Kinoshita, M. Kusunose* 70

cDNA cloning of an orphan opiate receptor gene family member and its splice variant (FEBS 14171) *J.B. Wang, P.S. Johnson, Y. Imai, A.M. Persico, B.A. Ozenberger, C.M. Eppler, G.R. Uhl* 75

Independent control of transcription initiations from two sites by an initiator-like element and TATA box in the human c-*erbB*-2 promoter (FEBS 14192) *G. Mizuguchi, C. Kanei-Ishii, T. Sawazaki, M. Horikoshi, R.G. Roeder, T. Yamamoto, S. Ishii* 80

Neuromedin B receptor, expressed in *Xenopus laevis* oocytes, selectively couples to G_{sq} and not $G_{\alpha 11}$ (FEBS 14184) *H. Shapira, J. Way, D. Lipinsky, Y. Oron, J.F. Battey* 89

Spatial precision of a catalytic carboxylate of F_1-ATPase β subunit probed by introducing different carboxylate-containing side chains (FEBS 14202) *T. Amano, K. Tozawa, M. Yoshida, H. Murakami* 93

Functional expression of 2-amino-4-phosphonobutyrate (APB) receptors in *Xenopus laevis* oocytes by injection of poly(A)$^+$ RNA from quail brain (FEBS 14203) *C. Moon, S.P. Fraser, P. Barrett, P.J. Morgan, M.B.A. Djamgoz* 99

Isolation and structural characterization of a novel peptide related to γ-melanocyte stimulating hormone from the brain of the leech *Theromyzon tessulatum* (FEBS 14195) *M. Salzet, C. Wattez, P. Bulet, J. Malecha* 102

Errata and Corrigenda 107

Hypothesis

KEKE motifs: Proposed roles in protein–protein association and presentation of peptides by MHC Class I receptors (FEBS 14183) *C. Realini, S.W. Rogers, M. Rechsteiner* 109

Research Letters

Substitution of conserved tyrosine residues in helix 4 (Y143) and 7 (Y293) affects the activity, but not IAPS-forskolin binding, of the glucose transporter GLUT4 (FEBS 14172) *S. Wandel, A. Schürmann, W. Becker, S.A. Summers, M.F. Shanahan, H.G. Joost* 114

Isolation of tyrosine kinase related genes expressed in the early hematopoietic system (FEBS 14191) *L. Larsson-Blomberg, E. Dzierzak* 119

Complete reconstitution of conjugation and subsequent degradation of the tumor suppressor protein p53 by purified components of the ubiquitin proteolytic system (FEBS 14196) *D. Shkedy, H. Gonen, B. Bercovich, A. Ciechanover* 126

8-Hydroxydeoxyguanosine: A marker of oxidative DNA damage in systemic lupus erythematosus (FEBS 14197) *J. Lunec, K. Herbert, S. Blount, H.R. Griffiths, P. Emery* 131

Distribution and localization of a G protein-coupled inwardly rectifying K^+ channel in the rat (FEBS 14204) *C. Karschin, W. Schreibmayer, N. Dascal, H. Lester, N. Davidson, A. Karschin* 139

Reassessment of the putative chaperone function of prolyl-*cis/trans*-isomerases (FEBS 14205) *G. Kern, D. Kern, F.X. Schmid, G. Fischer* 145

Wortmannin and 1-butanol block activation of a novel family of protein kinases in neutrophils (FEBS 14207) *J. Ding, J.A. Badwey* 149

Expression of the barley psbA gene in *Escherichia coli* yields a functional in vitro photosystem II protein D1 (FEBS 14200) *V.A. Efimov, A.F. Fradkov, A.B. Raskind, M.S. Khristin, V.V. Klimov, O.G. Chakhmakhcheva* 153

Preliminary X-ray crystallographic studies of photosynthetic reaction center from a thermophilic sulfur bacterium, *Chromatium tepidum* (FEBS 14148) *N. Katayama, M. Kobayashi, F. Motojima, K. Inaka, T. Nozawa, K. Miki* 158

A general method for the preparation of mixed micelles of hydrophobic peptides and sodium dodecyl sulphate (FEBS 14208) *J.A. Killian, T.P. Trouard, D.V. Greathouse, V. Chupin, G. Lindblom* 161

The binding of tissue prokallikrein to isolated human neutrophils (FEBS 14212) *J. Anders, M. Kemme* 166

Erythrocyte band 3 protein strongly interacts with phosphoinositides (FEBS 14209) *A. Hanicak, D. Maretzki, B. Reimann, E. Pap, A.J.W.G. Visser, K.W.A. Wirtz, D. Schubert* 169

A new UV-filter compound in human lenses (FEBS 14215) *R.J.W. Truscott, A.M. Wood, J.A. Carver, M.M. Sheil, G.M. Stutchbury, J. Zhu, G.W. Kilby* 173

Possible role of the transcription factor interferon regulatory factor 1 (IRF-1) in the regulation of ornithine decarboxylase (ODC) gene expression during IFNγ macrophage activation (FEBS 14206) *L. Manzella, M.A. Giuffrida, M.R. Pilastro, G. Girlando, G. Picardi, L. Malaguarnera, A. Messina* 177

Regulation of alternative oxidase kinetics by pyruvate and intermolecular disulfide bond redox status in soybean seedling mitochondria (FEBS 14214) *A.L. Umbach, J.T. Wiskich, J.N. Siedow* 181

Free insulin-like growth factors (IGF-I and IGF-II) in human serum (FEBS 14216) *J. Frystyk, C. Skjærbæk, B. Dinesen, H. Ørskov* 185

Phospholipase C activation and Ca^{2+} mobilization by cloned human somatostatin receptor subtypes 1–5, in transfected COS-7 cells (FEBS 14217) *M. Akbar, F. Okajima, H. Tomura, M.A. Majid, Y. Yamada, S. Seino, Y. Kondo* 192

Antisense oligonucleotide complementary to endogenous retroviral MCF *env* gene inhibits both BFU-E and CFU-S colony formation in mice (FEBS 14228) *I.V. Chernukhin, S.K. Khaldoyanidi, D.V. Dikovskaya, F.P. Svinarchuk, V.V. Vlasov, K.V. Gaidul* 197

One of the retinoic acid-inducible cDNA clones in mouse embryonal carcinoma F9 cells encodes a novel isoenzyme of fructose 1,6-bisphosphatase (FEBS 14222) *M. Nomura, Y. Takihara, T. Yasunaga, K. Shimada* 201

Heterologous expression of cDNAs encoding barley *(Hordeum vulgare)* (1→3)-β-glucanase isoenzyme GV (FEBS 14224) *P. Xu, A.J. Harvey, G.B. Fincher* 206

Mitochondrial calcium spiking: a transduction mechanism based on calcium-induced permeability transition involved in cell calcium signalling (FEBS 14229) *F. Ichas, L.S. Jouaville, S.S. Sidash, J.-P. Mazat, E.L. Holmuhamedov* 211

Effects of cobalt on haem proteins of erythropoietin-producing HepG2 cells in multicellular spheroid culture (FEBS 14221) *A. Görlach, J. Fandrey, G. Holtermann, H. Acker* 216

FEBS NEWS 219

Errata and Corrigenda 220

Mechanism of covalent modification of glyceraldehyde-3-phosphate dehydrogenase at its active site thiol by nitric oxide, peroxynitrite and related nitrosating agents (FEBS 14210) *S. Mohr, J.S. Stamler, B. Brüne* 223

Expression of functional *Raphanus sativus* antifungal protein in yeast (FEBS 14211) *A.L.V. Alves, G.W. De Samblanx, F.R.G. Terras, B.P.A. Cammue, W.F. Broekaert* 228

Formation of SRP-like particle induces a conformational change in *E. coli* 4.5S RNA (FEBS 14213) *G. Lentzen, B. Dobberstein, W. Wintermeyer* 233

Cloning a novel human brain inward rectifier potassium channel and its functional expression in *Xenopus* oocytes (FEBS 14226) *W. Tang, X.-C. Yang* 239

Functional analysis of individual brain myosin II isoforms through hybrid formation (FEBS 14227) *Y. Wang, P.D. Chantler* 244

Functional analysis of block 5, one of the highly conserved amino acid sequences in the 130-kDa CryIVA protein produced by *Bacillus thuringiensis* subsp. *israelensis* (FEBS 14218) *T. Nishimoto, H. Yoshisue, K. Ihara, H. Sakai, T. Komano* 249

Gene relaxation and aging: changes in the abundance of rat ventral prostate SGP-2 (clusterin) and ornithine decarboxylase mRNAs (FEBS 14223) *S. Bettuzzi, P. Strocchi, M. Marinelli, S. Astancolle, P. Davalli, A. Corti* 255

Injection of a K^+ channel (Kv1.3) cRNA in fertilized eggs leads to functional expression in cultured myotomal muscle cells from *Xenopus* embryos (FEBS 14236) *E. Honoré, E. Guillemare, F. Lesage, J. Barhanin, M. Lazdunski* 259

Endothelin-1 increases the levels of mRNA and protein of muscarinic acetylcholine receptors and c-*fos* mRNA in cerebellar granule cells (FEBS 14225) *F. Fukamauchi, D.-M. Chuang* 263

Molecular cloning of a bovine MSH receptor which is highly expressed in the testis (FEBS 14233) *M. Vanetti, C. Schönrock, W. Meyerhof, V. Höllt* 268

Increased expression of nucleoside diphosphate kinases/nm23 in human diploid fibroblasts transformed by SV40 large T antigen or ^{60}Co irradiation (FEBS 14237) *K. Ohneda, M. Fukuda, N. Shimada, N. Ishikawa, T. Ichou, K. Kaji, T. Toyota, N. Kimura* 273

Isolation of a potassium-selective ion channel from the plasma membrane of the broad bean *Vicia faba* L. (FEBS 14243) *C. Zeilinger* 278

In vivo incorporation of cobalt into *Propionibacterium shermanii* superoxide dismutase (FEBS 14238) *B. Meier, A.P. Sehn, M. Sette, M. Paci, A. Desideri, G. Rotilio* 283

Peroxynitrite-mediated oxidation of albumin to the protein-thiyl free radical (FEBS 14239) *R.M. Gatti, R. Radi, O. Augusto* 287

Participation of Mn(II) in the catalysis of laccase, manganese peroxidase and lignin peroxidase from *Phlebia radiata* (FEBS 14241) *T. Lundell, A. Hatakka* 291

Formation of F_2-isoprostanes during aortic endothelial cell-mediated oxidation of low density lipoprotein (FEBS 14242) *N.K. Gopaul, J. Nourooz-Zadeh, A.I. Mallet, E.E. Änggård* 297

X-Ray crystallographic studies of recombinant inorganic pyrophosphatase from *Escherichia coli* (FEBS 14219) *V.Yu. Oganessyan, S.A. Kurilova, N.N. Vorobyeva, T.I. Nazarova, A.N. Popov, A.A. Lebedev, S.M. Avaeva, E.H. Harutyunyan* 301

A comparative picosecond-resolved fluorescence study of tryptophan residues in iron-sulfur proteins (FEBS 14220) *V. Dorovska-Taran, A. van Hoek, T.A. Link, A.J.W.G. Visser, W.R. Hagen* 305

Molecular characterization of an *Escherichia coli* mutant with a temperature-sensitive malonyl coenzyme A-acyl carrier protein transacylase (FEBS 14244) *I.I.G.S. Verwoert, E.F. Verhagen, K.H. van der Linden, E.C. Verbree, H.J.J. Nijkamp, A.R. Stuitje* 311

Dependence of thymocyte apoptosis on protein kinase C and phospholipase A_2 (FEBS 14230) *V.V. Shaposhnikova, O.R. Dobrovinskaya, L.K. Eidus, Yu.N. Korystov* 317

Author Index to volume 348 320

Contents to volume 348 324